



# ACCESSIBILITY EVALUATION REPORT

---



# GLOSSARY

---

**GUIDELINE SET:** set composed of one or more guidelines.

**GUIDELINE:** it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, “Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language”).

**CRITERION:** it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, “All non-text content that is presented to the user has a text alternative that serves the equivalent purpose”).

**CHECKPOINT:** consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as “Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image”.




# EVALUATION OVERVIEW

BASE URL	<a href="https://calabriaeuropa.regione.calabria.it/">https://calabriaeuropa.regione.calabria.it/</a>
CRAWLING PARAMETERS	
Number of pages	23
Depth	1
NUMBER OF EVALUATED WEB PAGES	23
EVALUATION DATE	19 set 2023
EVALUATION TIME	15:37:

## MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.


96%



## MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

86%





# EVALUATION OVERVIEW

---

## TOTAL ERRORS

We compute the number of erroneous checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

**22**

TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

**1262**

TOTAL ERROR OCCURENCIES FOUND

**54**

AVERAGE ERROR OCCURENCIES PER PAGE

---

## TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

**10**

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

**6669**

TOTAL WARNINGS OCCURENCIES FOUND

**289**

AVERAGE WARNING OCCURENCIES PER PAGE



# EVALUATION OVERVIEW

---

## MOST ERRONEUS PAGES

We compute a rank of the most erroneous pages of the website, according to the occurrences of errors found in each evaluated page.


1. <https://calabriaeuropa.regione.calabria.it/bando/partecipazione-in-collettiva-de>
2. [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/le-aree-di-innovazione-dell](https://calabriaeuropa.regione.calabria.it/s3-21_27/le-aree-di-innovazione-dell)
3. <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2027/comitato>



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bando/partecipazione-in-co>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	2
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	39
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	11
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	156
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bando/partecipazione-in-co>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	156



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	39
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	2
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	11



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bando/partecipazione-in-co>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	39
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	11
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	2
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	156
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6




# PAGES EVALUATION

PAGE URL:

[https://calabriaeuropa.regione.calabria.it/s3-21\\_27/le-aree-di-innov](https://calabriaeuropa.regione.calabria.it/s3-21_27/le-aree-di-innov)

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	9
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	22
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	18
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	125
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	9
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/le-aree-di-innov](https://calabriaeuropa.regione.calabria.it/s3-21_27/le-aree-di-innov)

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	125



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	22
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	18
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	9
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	9
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/le-aree-di-innov](https://calabriaeuropa.regione.calabria.it/s3-21_27/le-aree-di-innov)

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	22
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>HTML</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	18
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	9
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	9
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	125
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	60
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	234
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	58
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	58



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	234



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	60
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	58
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	58
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	60
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	32
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	58



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	58
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	234
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/cooperazione-territoriale-e>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	13
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	35
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	228
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/cooperazione-territoriale-e>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	228



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	35
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	13
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/cooperazione-territoriale-e>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	35
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	13
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	228
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	13
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	38
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	145
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	14
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	14



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	145



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	38
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	14
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	38
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	14



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	14
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	145
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8




# PAGES EVALUATION

PAGE URL:

<https://calabriaeuropa.regione.calabria.it/safe-aiuti-alle-impres-co>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	3
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	28
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	109
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9




# PAGES EVALUATION

PAGE URL:

<https://calabriaeuropa.regione.calabria.it/safe-aiuti-alle-impres-co>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	109



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	28
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	3
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/safe-aiuti-alle-impres-co>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	28
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	3
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	109
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bando/manifestazione-di-in>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	16
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	34
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	172
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bando/manifestazione-di-in>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	172



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	34
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
<b>IMG</b>		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	16



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bando/manifestazione-di-in>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	15
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	16
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	34
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	172
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	2
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programma-di-azione-coes>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	6
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	55
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	32
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	35
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	32
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	21



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programma-di-azione-coes>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	21
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	32
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	6
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	55
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	35
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programma-di-azione-coes>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	6
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	55
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	35
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	178
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	21
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	32



# PAGES EVALUATION

PAGE URL: [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/governance-s3/](https://calabriaeuropa.regione.calabria.it/s3-21_27/governance-s3/)

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	22
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	101
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/governance-s3/](https://calabriaeuropa.regione.calabria.it/s3-21_27/governance-s3/)

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	101



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	22
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/governance-s3/](https://calabriaeuropa.regione.calabria.it/s3-21_27/governance-s3/)

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	22
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>HTML</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	101
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6




# PAGES EVALUATION

PAGE URL:

<https://calabriaeuropa.regione.calabria.it/dichiarazione-di-accessibilita>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9




# PAGES EVALUATION

PAGE URL:

<https://calabriaeuropa.regione.calabria.it/dichiarazione-di-accessibilita>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
<b>LINK</b>		



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3




# PAGES EVALUATION

PAGE URL:

<https://calabriaeuropa.regione.calabria.it/dichiarazione-di-accessibilita>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/note-legali-2/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	3
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/note-legali-2/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	3
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/note-legali-2/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	3
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/privacy-policy-2/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	8
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/privacy-policy-2/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	8
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/privacy-policy-2/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	8
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	106
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	5
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	4
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	16
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	36
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	8
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	8
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	398
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>ROBUST</b>		
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	398



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	16
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	36
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	5
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	8
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	8
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	4
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	16
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	36
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	5
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	8
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	4
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	398
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/dipartimento/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	172
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	16



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/dipartimento/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	172



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	16
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
<b>LINK</b>		



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/dipartimento/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	27
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	172
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	16
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	21



# PAGES EVALUATION

PAGE URL: [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/](https://calabriaeuropa.regione.calabria.it/s3-21_27/)

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	32
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	30
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	171
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/](https://calabriaeuropa.regione.calabria.it/s3-21_27/)

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	171



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	32
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	30
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7



# PAGES EVALUATION

PAGE URL: [https://calabriaeuropa.regione.calabria.it/s3-21\\_27/](https://calabriaeuropa.regione.calabria.it/s3-21_27/)

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	32
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	30
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	2
E	SC 3.2.2 - Tech H32 Providing submit buttons	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	2
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	171
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	11
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	12




# PAGES EVALUATION

PAGE URL:

<https://calabriaeuropa.regione.calabria.it/piano-sviluppo-e-coesione>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	2
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	8
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	37
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	112
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9




# PAGES EVALUATION

PAGE URL:

<https://calabriaeuropa.regione.calabria.it/piano-sviluppo-e-coesione>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	112



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	8
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	37
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5



# PAGES EVALUATION

E/W	Errors	No. of occurrences
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	2
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
<b>TABLE</b>		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1




# PAGES EVALUATION

PAGE URL:

<https://calabriaeuropa.regione.calabria.it/piano-sviluppo-e-coesione>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	8
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	37
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	2
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	112
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/il-piano-nazionale-di-ripre>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	12
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	13
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	25
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	189
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	13
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/il-piano-nazionale-di-ripre>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	189



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	13
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	12
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	25
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
<b>LINK</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/il-piano-nazionale-di-ripre>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	12
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	25
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	4
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	189
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	10
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	13



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programma-di-azione-coes>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	6
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	35
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	112
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programma-di-azione-coes>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	112



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	6
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	35
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programma-di-azione-coes>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	6
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	35
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	112
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bandi/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	6
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	29
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	39
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	232
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	29
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bandi/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	232



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	29
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	39
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	6



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/bandi/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	39
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	2
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	232
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	29
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/la-comunicazione-del-pr-f>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	25
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	12
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	9
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
E	SC 2.4.4 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	3
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	170
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	12
E	SC 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	3
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	12
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/la-comunicazione-del-pr-f>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	170



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	12
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	12
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	12
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	25
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	3
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	3
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/la-comunicazione-del-pr-f>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	12
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	37
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	9
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	24
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	12
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	25
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 2.4.4 - 4.1.2 - Tech F89 Failure of Success Criteria 2.4.4, 2.4.9 and 4.1.2 due to not providing an accessible name for an image which is the only content in a link	3
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	12
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	170
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	47
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	19
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	189
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	189



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	47
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	19



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2021-2022>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	20
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	47
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	19
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	49
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	189
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	9
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	5
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2014-2020>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	30
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	2



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	19
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	73
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	409
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	24



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2014-2020>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	409



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	24
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	30
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	73
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	19



# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/programmazione-2014-2020>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.12 - Tech C36 Allowing for text spacing override	30
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	31
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	73
<b>HTML</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	409
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	24
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	19
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	23



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/news/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
<b>PERCEIVABLE</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	6
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	29
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45
<b>UNDERSTANDABLE</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	3
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	3
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	211
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	29
<b>ROBUST</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	2
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/news/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
<b>ARIA</b>		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	211



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	29
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2
<b>COLOR</b>		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
<b>CONTENT</b>		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45
<b>FORM</b>		
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	3
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	3
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	2



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
<b>IMG</b>		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15
<b>LINK</b>		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1
<b>RESPONSIVE</b>		
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	6



# PAGES EVALUATION

PAGE URL: <https://calabriaeuropa.regione.calabria.it/news/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
<b>STYLE</b>		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	13
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	45
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45
<b>HTML</b>		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	2
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	1
E	SC 3.2.2 - Tech H32 Providing submit buttons	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	2
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	3
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	3
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	2
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	3
W	SC 2.5.3 - Tech F96 If on the page are present the tags aria-label or aria-labelledby, check that their content matches the visible name.	211
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	14
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	15
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	29
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2

---

# HIIS LAB @ ISTI-CNR

---

Pisa • Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1

56124 Pisa Italy

Room: Building B - Entrance 17 - II Floor

**<http://hiis.isti.cnr.it/lab/home>**